

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Phantom Snijwas EP (Extreme Pressure), chloorvrij

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: Van Ommen BV
Street: Voorste Kerkweg 4
Place: NL-7361 ET Beekbergen

Telephone: 0031 (0)55 5067600 Telefax: 0031 (0)55 5067601

1.4. Emergency telephone Emergency telephone number (24h) + 44 1235 239670 (en)

number:

**Further Information** 

Reserved for industrial and professional use.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts, Triisobutyl

phosphate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

# 2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 2 of 12

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
1471316-72- 9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts			0.1 - < 1 %	
	939-603-7		01-2119978241-36		
	Skin Sens. 1; H317				
126-71-6	Triisobutyl phosphate		0.1 - < 1 %		
	204-798-3		01-2119957118-32		
	Skin Sens. 1B; H317				
106-20-7	Di(2-ethylhexyl)-amin			0.1 - < 1 %	
	203-372-4		01-2119977118-28		
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Aquatic Chronic 1; H331 H311 H302 H314 H410				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
1471316-72- 9	939-603-7 Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts		0.1 - < 1 %
	dermal: LD50 =	dermal: LD50 = 2000 mg/kg; oral: LD50 = 10000-20000 mg/kg	
126-71-6	204-798-3	Triisobutyl phosphate	0.1 - < 1 %
	dermal: LD50 = 5000 mg/kg; oral: LD50 = 5000 mg/kg		
106-20-7	203-372-4	Di(2-ethylhexyl)-amin	0.1 - < 1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 956 mg/kg; oral: LD50 = 847-1149 mg/kg M chron.; H410: M=1		

#### **Further Information**

Full text of H- and EUH-statements: see section 16.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps. First aider:

Pay attention to self-protection!

Symptoms can occur only after several hours.

## After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

## After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 3 of 12

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO2).

Carbon monoxide

Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

## For non-emergency personnel

Special danger of slipping by leaking/spilling product.

## For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

#### 6.4. Reference to other sections

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Avoid oil mist

Use only in well-ventilated areas.

When using do not eat, drink or smoke.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 4 of 12

## Further information on handling

High slip hazard because of leaking or spilled product.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-40 °C

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Maximum period of storage (time): 3

#### Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

Reserved for industrial and professional use.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 5 of 12

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
1471316-72- 9	Benzenesulfonic acid, di-C10-14-alkyl derivs.,	calcium salts		
Worker DNEL	, long-term	inhalation	systemic	35,26 mg/m³
Worker DNEL	, long-term	dermal	systemic	25 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	8,7 mg/m³
Consumer DN	EL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	local	0,518 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	oral	systemic	2,5 mg/kg bw/day
126-71-6	Triisobutyl phosphate			
Worker DNEL	, long-term	inhalation	systemic	50 mg/m³
Worker DNEL, long-term		dermal	systemic	4,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,89 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,13 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,13 mg/kg bw/day
106-20-7	Di(2-ethylhexyl)-amin			
Worker DNEL	, long-term	inhalation	systemic	1,76 mg/m³
Worker DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,435 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,125 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,125 mg/kg bw/day



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 6 of 12

#### **PNEC values**

CAS No	Substance	
Environmental compartment		Value
1471316-72- 9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	
Freshwater		0,1 mg/l
Marine water		0,1 mg/l
Freshwater sed	diment	45211 mg/kg
Marine sedime	nt	45211 mg/kg
Micro-organisn	ns in sewage treatment plants (STP)	1000 mg/l
Soil		36739 mg/kg
126-71-6	Triisobutyl phosphate	
Freshwater		0,014 mg/l
Marine water		0,001 mg/l
Freshwater sediment		2,05 mg/kg
Marine sediment		0,205 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,72 mg/l
Soil		0,426 mg/kg
106-20-7	Di(2-ethylhexyl)-amin	
Freshwater		0,001 mg/l
Marine water		0 mg/l
Freshwater sediment		43,6 mg/kg
Marine sediment		4,36 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,8 mg/l
Soil		0,2 mg/kg

### Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls









## Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

# Individual protection measures, such as personal protective equipment

## Eye/face protection

EN 166

# **Hand protection**

Protect skin by using skin protective cream.

Wash hands before breaks and after work.

# Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 7 of 12

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Metal cutting paste
Colour: yellow brown
Odour: characteristic

Test method

Boiling point or initial boiling point and not determined

boiling range:

Lower explosion limits:

Upper explosion limits:

not determined
not determined

Flash point: 250 °C DIN ISO 2592 Auto-ignition temperature: 350 °C ASTM E 659

pH-Value: not applicable Viscosity / kinematic: not determined

(at 40 °C)

Vapour pressure: not determined

Density (at 20 °C): 1 g/cm³ DIN EN ISO 12185

## 9.2. Other information

## Other safety characteristics

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No known hazardous reactions.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Protect against: heat.

# 10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

## 10.6. Hazardous decomposition products

Hazardous decomposition products: none

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Data apply to the main component.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 8 of 12

#### **ATEmix calculated**

ATE (dermal) 956000,0 mg/kg; ATE (inhalation vapour) 3000,00 mg/l; ATE (inhalation dust/mist) 500,000 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
1471316-72- 9	Benzenesulfonic acid, di-	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts					
	oral	LD50 10000- 20000 mg/kg	Rat	ECHA			
	dermal	LD50 2000 mg/kg	Rat	ECHA			
126-71-6	Triisobutyl phosphate						
	oral	LD50 5000 mg/kg	Rat	ECHA			
	dermal	LD50 5000 mg/kg	Rabbit	ECHA			
106-20-7	Di(2-ethylhexyl)-amin						
	oral	LD50 847-1149 mg/kg	Rat	ECHA			
	dermal	LD50 956 mg/kg	Rabbit		Union Carbide 1968		
	inhalation vapour	ATE 3 mg/l					
	inhalation dust/mist	ATE 0,5 mg/l					

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts, Triisobutyl phosphate. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

## 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# **SECTION 12: Ecological information**

# 12.1. Toxicity



according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 9 of 12

The statement is derived form the properties of the components.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1471316-72 -9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts						
	Acute fish toxicity	LC50 mg/l	> 100		Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		OECD 202
	Algae toxicity	NOEC mg/l	> 1000	3 d	Scenedesmus subspicatus		OECD 201
	Acute bacteria toxicity	(EC50 mg/l)	>10000				
106-20-7	Di(2-ethylhexyl)-amin						
	Acute fish toxicity	LC50	< 5 mg/l	96 h	Danio rerio	Echa	
	Acute algae toxicity	ErC50 mg/l	1,55	96 h	freshwater algae		
	Acute crustacea toxicity	EC50	2,2 mg/l	48 h	Daphnia magna		
	Algae toxicity	NOEC mg/l	0,14	4 d	freshwater algae		
	Crustacea toxicity	NOEC mg/l	0,0069	21 d	Daphnia magna		OECD 211

# 12.2. Persistence and degradability

Product is not easily biodegradable.

	Total and successive bloods graduation				
CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
1471316-72-	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts				
9					
	RA_CAS 70024-69-0, OECD 301D 8,0% 28				
	Not easily bio-degradable (according to OECD-criteria).				
126-71-6	Triisobutyl phosphate				
	OECD Guideline 301 B	70-80%	28		
	Easily biodegradable (concerning to the criteria of the OECD)				

## 12.3. Bioaccumulative potential

No information available.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	6,91
126-71-6	Triisobutyl phosphate	3,72
106-20-7	Di(2-ethylhexyl)-amin	7,3

## 12.4. Mobility in soil

in delivery condition: viscous

# 12.5. Results of PBT and vPvB assessment



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 10 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Non-contaminated packages may be recycled.

## List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

No dangerous good in sense of these transport regulations. 14.1. UN number or ID number:

No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations. 14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name:

14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations. No dangerous good in sense of these transport regulations.

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

No dangerous good in sense of these transport regulations. 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations. 14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** No

14.6. Special precautions for user

Personal protection equipment: see section 8

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 11 of 12

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): 0,0 g/L 2004/42/EC (VOC): 0,0 %

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,7,11,13,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road )

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association



according to Regulation (EC) No 1907/2006

# Phantom Snijwas EP (Extreme Pressure), chloorvrij

Revision date: 01.01.2023 Product code: 35 Page 12 of 12

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

Repr. - Reproduktionstoxizität Asp. Tox. - Aspirationstoxizität Acute Tox. - Akute Toxizität

Aquatic Acute - Akute aquatische Toxizität

Aquatic Chronic - Chronische aquatische Toxizität

Eye Dam. - Augenschaden/-reizung

Eye Irrit. - Augenreizung

Skin Corr. - Ätzwirkung auf die Haut

Skin Irrit. - Hautreizung Skin Sens. - Hautallergen

Resp. Sens. - Inhalationsallergen

STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition

VOC - Flüchtige organische Verbindungen

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts, Triisobutyl

phosphate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)